

(Click on Well Log ID to Access Image of Well Strip Log)

CHARITON

(Records are Sorted by Township, Range, and Section)

LOG ID: 024430

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1966/09/19

TOWNSHIP

RANGE SECTION **ELEVATION:**

617FT

County Base Map

DRILL DEPTH:

30FT

51N 17W 7

UTM X 510,753.51

UTM Y 4,343,471.64

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: NOT IN USGS LIST OF LOGS

S.W.L. (AFTER CASING):

LOG ID: 016132

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/14

TOWNSHIP

REMARKS:

REMARKS:

SECTION RANGE

ELEVATION:

613FT

DRILL DEPTH:

81FT

18W 51N

UTM X

UTM Y

DEPTH TO BED:

78FT

510,525.52

4,344,604.68

100-125 GPM

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016142

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/06

TOWNSHIP

5-10 GPM

SECTION RANGE

ELEVATION:

686FT

DRILL DEPTH:

114FT

52N

17W 15

UTM X

UTM Y

DEPTH TO BED:

111FT

516,311.51

4,350,538.87

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016148

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/05

TOWNSHIP

RANGE SECTION **ELEVATION:**

659FT

DRILL DEPTH:

52N

15

UTM X

UTM Y

DEPTH TO BED:

75FT 70FT 17W

515,665.48

4,351,838.86 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2-5 GPM

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004752

DEPTH TO BED:

WELL TYPE Private Well

1938/00/00 DRILL DATE:

RANGE SECTION 17W 16

ELEVATION:

731FT

DRILL DEPTH: 395FT

UTM X **UTMY** 4,350,763.85

515,428.50

ZONE 15

S.W.L. (BEFORE CASING):

SALT WATER **REMARKS**:

TOWNSHIP

52N

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 016136

DRILL DATE:

170FT

1957/03/01

TOWNSHIP

SECTION RANGE 7

ELEVATION:

620FT

DRILL DEPTH:

60FT

52N 17W

UTM X

UTMY

DEPTH TO BED:

56FT

4,352,355.79

512,277.45 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 15-20 GPM

S.W.L. (AFTER CASING):

LOG ID: 016147

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/06

TOWNSHIP

RANGE SECTION **ELEVATION:**

749FT

DRILL DEPTH:

99FT

52N 17W

15-20 GPM

9

UTM X

UTM Y 4,351,963.83

DEPTH TO BED:

96FT

514,059.47 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016141

WATER TEST WELL (HOLE)

DRILL DATE:

1956/03/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

622FT

52N

10

DRILL DEPTH:

69FT 66FT

18W

UTM X 506,309.38

ZONE 15

UTM Y 4,353,577.68

DEPTH TO BED:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

30-40 GPM **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016135

DEPTH TO BED:

WELL TYPE

WATER TEST WELL (HOLE)

63FT

DRILL DATE: 1957/03/06 **TOWNSHIP RANGE SECTION** 52N 18W 14

ELEVATION:

620FT

DRILL DEPTH: 67FT

UTM X **UTMY** 4,351,934.70

508,055.41

ZONE 15

S.W.L. (BEFORE CASING):

10-20 GPM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 016140

WELL TYPE

Private Well

DRILL DATE:

1957/03/06

TOWNSHIP 52N

RANGE

SECTION ELEVATION: 628FT

DRILL DEPTH:

90FT

18W 17

18W

UTM X

ZONE 15

UTMY

DEPTH TO BED: 85FT 504,255.37

4,351,848.61

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016157

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/14

TOWNSHIP RANGE

40-50 GPM

SECTION

ELEVATION:

618FT

DRILL DEPTH:

92FT

52N

26

UTM X

UTM Y

DEPTH TO BED:

90FT

507,567.45

4,347,284.63 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016124

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/11

TOWNSHIP

SECTION RANGE

ELEVATION:

628FT

DRILL DEPTH:

96FT

52N

19W

UTM X

499,758.30

UTM Y 4,355,311.56

DEPTH TO BED: 95FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016134

WELL TYPE

WATER TEST WELL (HOLE)

1956/03/12 DRILL DATE:

TOWNSHIP 52N

RANGE SECTION 1

ELEVATION:

626FT

DRILL DEPTH:

96FT

19W

UTM X

UTM Y

DEPTH TO BED:

95FT

499,758.31

4,353,923.54

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 016133

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/12

TOWNSHIP

SECTION RANGE

ELEVATION:

623FT

DRILL DEPTH:

80FT

52N 19W 5

UTM X

ZONE 15

UTMY 4,352,339.52

499,748.32 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

79FT

REMARKS: 70-100 GPM

S.W.L. (AFTER CASING):

LOG ID: 009289

WELL TYPE

Community Public Well

DRILL DATE:

1946/10/01

TOWNSHIP

RANGE SECTION **ELEVATION:**

640FT

DRILL DEPTH:

45FT

53N

UTM X

UTM Y

DEPTH TO BED:

25FT

17W

519,663.35 4,363,813.04

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

009290

Community Public Well

DRILL DATE:

1946/10/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

640FT

DRILL DEPTH:

53N

17W

UTM Y

DEPTH TO BED:

45FT 25FT

UTM X

519,263.35

4,363,701.03

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



RANGE

17W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009291

DRILL DEPTH:

WELL TYPE

Community Public Well

1946/10/01 DRILL DATE:

49FT

DEPTH TO BED:

45FT

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

009292

Community Public Well

DRILL DATE:

DRILL DEPTH:

1946/10/01

40FT

DEPTH TO BED:

25FT

S.W.L. (BEFORE CASING):

REMARKS: 3 SAMPLES; "TEST 4"

S.W.L. (AFTER CASING):

LOG ID: 015932

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: DRILL DEPTH: 1957/02/28

115FT

DEPTH TO BED: 107FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015914

WATER TEST WELL (HOLE)

DRILL DATE: DRILL DEPTH: 1956/02/28

165FT

DEPTH TO BED: 163FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

ELEVATION:

640FT

UTM X

UTMY

519,163.35

4,363,701.03

ZONE 15

TOWNSHIP 53N

TOWNSHIP

TOWNSHIP

53N

50-70 GPM

53N

TOWNSHIP

53N

RANGE

RANGE

17W

17W

RANGE 17W

SECTION

SECTION

16

SECTION

17

SECTION

1

ELEVATION:

640FT

UTM X

UTMY

519,463.35 4,363,701.04

ZONE 15

ELEVATION:

667FT

UTM X 515,642.38

UTM Y 4,359,949.93

ZONE 15

ELEVATION: 724FT

UTM X 512.645.36

UTM Y 4,359,984.88

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015965

WELL TYPE

WATER TEST WELL (HOLE)

1957/02/28 DRILL DATE:

TOWNSHIP RANGE SECTION 53N 17W

ELEVATION:

718FT

DRILL DEPTH:

169FT

UTM X

UTMY 4,359,984.90

DEPTH TO BED: 166FT 514,045.37

17

ZONE 15

S.W.L. (BEFORE CASING):

30-50 GPM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 012623

WELL TYPE

Community Public Well

DRILL DATE:

1954/00/00

TOWNSHIP 53N

SECTION RANGE

SECTION

ELEVATION:

752FT

DRILL DEPTH:

85FT

2 17W

UTM X

UTMY

DEPTH TO BED:

517,444.33

4,364,348.01

ZONE 15

S.W.L. (BEFORE CASING):

"WAS NOT DRILLED FOR SALISBURY" **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 015969

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/28

TOWNSHIP RANGE **ELEVATION:**

641FT

DRILL DEPTH:

51FT

53N 17W 23

UTM X

DEPTH TO BED:

46FT

UTM Y 517,439.40 4,359,057.96

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5-10 GPM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

000233

Community Public Well

DRILL DATE:

SECTION TOWNSHIP RANGE

ELEVATION:

699FT

DRILL DEPTH:

150FT

53N 17W 3

> UTM X UTM Y

> > ZONE 15

516,562.33

4,363,832.98

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

FT

NO UNITS IDENTIFIED - DRILLER'S LOG ONLY **REMARKS:**

S.W.L. (AFTER CASING): 25



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000330

WELL TYPE

Community Public Well

15FT

1872/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 53N 17W 3

ELEVATION:

750FT

DRILL DEPTH: 277FT

UTM X

UTMY 4,363,833.00

517,162.34

S.W.L. (BEFORE CASING):

REMARKS:

ZONE 15

S.W.L. (AFTER CASING):

NO UNITS IDENTIFIED - DRILLER'S LOG ONLY

LOG ID:

016146

DEPTH TO BED:

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/15

TOWNSHIP

SECTION RANGE

ELEVATION:

661FT

DRILL DEPTH:

121FT

53N 17W

UTM X

UTMY

DEPTH TO BED:

116FT

5

513,663.31 4,364,584.94

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

017204

Noncommunity Public Well

DRILL DATE:

1957/03/15

TOWNSHIP

RANGE SECTION

17W

ELEVATION:

658FT

DRILL DEPTH:

100FT

53N

7

UTM X

UTM Y

DEPTH TO BED:

94FT

512,084.33 4,362,439.89

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015928

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/28

TOWNSHIP

RANGE

SECTION

ELEVATION:

682FT

DRILL DEPTH:

53N

18W 13 UTM X

UTM Y

DEPTH TO BED:

67FT 58FT

510.875.35

4,360,001.84 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016149

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1957/03/01

TOWNSHIP

53N

RANGE SECTION 18W 14

ELEVATION:

673FT

DRILL DEPTH:

45FT

UTM X

UTMY 4,360,060.78

DEPTH TO BED: 42FT 507,895.32

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016138

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1956/03/04

TOWNSHIP

SECTION RANGE

ELEVATION:

639FT

DRILL DEPTH:

98FT

53N

17

UTMY

DEPTH TO BED:

95FT

18W

UTM X

503,129.29

4,360,461.69

REMARKS: 75-80 GPM

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 004352

WELL TYPE

Private Well

DRILL DATE:

1937/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

689FT

DRILL DEPTH:

355FT

53N 18W 2

UTM X

UTM Y

DEPTH TO BED:

130FT

8

508,069.29

4,363,794.83

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: WATER SALINE, WELL ABANDONED & FILLED IN

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016125

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/01

TOWNSHIP

RANGE

SECTION 20

ELEVATION:

UTM X

626FT

53N

18W

UTM Y

DRILL DEPTH: DEPTH TO BED: 65FT 54FT

504.479.30

4,360,053.72

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016144

WELL TYPE

WATER TEST WELL (HOLE)

1957/03/01 DRILL DATE:

TOWNSHIP RANGE SECTION 53N 18W 23

ELEVATION:

DRILL DEPTH:

41FT

UTM X **UTMY**

DEPTH TO BED: 37FT 509,247.34

4,359,836.81

694FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 000220

WELL TYPE Private Well

DRILL DATE:

1905/12/14

TOWNSHIP

RANGE

SECTION ELEVATION: 806FT

DRILL DEPTH:

170FT

53N 18W 27

UTM X

UTMY

DEPTH TO BED:

165FT

506,247.34

4,357,528.72 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of Perry Haines - 2 mi N of Rockford; not in use in

1963; many missing samples

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 024428

DRILL DATE:

1966/09/19

TOWNSHIP

RANGE

SECTION

ELEVATION:

620FT

UTM Y

DRILL DEPTH:

35FT

53N

DEPTH TO BED:

18W 32

UTM X

502,983.33 4,356,046.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: L.E. MANSON LAND

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Oil Well

005519

1939/08/07

15

TOWNSHIP

53N

RANGE

SECTION

ELEVATION:

771FT

DRILL DATE: DRILL DEPTH:

919FT

18W 35

UTM X

UTM Y

DEPTH TO BED:

S.W.L. (AFTER CASING):

55FT

508.991.37

4,356,276.76

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 VANCE BROTHERS



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003525

WELL TYPE

Community Public Well

1936/02/00 DRILL DATE:

TOWNSHIP 53N

RANGE SECTION 18W 5

ELEVATION:

634FT

DRILL DEPTH: 48FT

S.W.L. (BEFORE CASING):

UTM X 504,523.26

UTMY 4,364,695.77

DEPTH TO BED:

FT

NO UNITS IDENTIFIED - DRILLER'S LOG ONLY **REMARKS:**

S.W.L. (AFTER CASING): 9

LOG ID: 003526

WELL TYPE

Community Public Well

DRILL DATE:

1938/02/00

TOWNSHIP

RANGE

SECTION ELEVATION: 634FT

DRILL DEPTH:

40FT

53N 18W 5

UTM X

DEPTH TO BED:

20FT

UTMY 504,223.26 4,364,594.77

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

TWO WELLS; 3526A & 3526B, DRIFT TO 40' - DRILLER'S LOG ONLY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003527

WELL TYPE

Community Public Well

DRILL DATE:

1936/02/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

633FT

DRILL DEPTH:

43FT

53N 18W

UTM X

UTM Y

DEPTH TO BED:

15FT

5

504,423.26 4,364,695.77

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TWO DRIFT WELLS, TO 40' TD - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003530

Community Public Well

DRILL DATE:

1936/02/07

TOWNSHIP

SECTION RANGE

ELEVATION: 634FT

DRILL DEPTH:

37FT

53N

18W 5

UTM X

504.623.26

UTM Y 4,364,393.77

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

9



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003531

WELL TYPE

Community Public Well

1936/02/00 DRILL DATE:

DRILL DEPTH: 47FT

DEPTH TO BED: 38FT

S.W.L. (BEFORE CASING):

NO UNITS IDENTIFIED - DRILLER'S LOG ONLY **REMARKS**:

RANGE

18W

S.W.L. (AFTER CASING):

LOG ID: 016137

WELL TYPE Private Well

DRILL DATE:

1957/03/04

TOWNSHIP 53N

RANGE

SECTION

SECTION

5

ELEVATION:

ELEVATION:

UTM X

504,623.26

ZONE 15

ZONE 15

637FT

633FT

UTMY

4,364,493.77

DRILL DEPTH:

67FT

19W 13

UTM X 500,737.27

UTMY 4,360,816.65

TOWNSHIP

53N

DEPTH TO BED: 60FT

REMARKS: 10-15 GPM

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 016153

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/04

TOWNSHIP 53N

RANGE

SECTION 16

ELEVATION:

633FT

DRILL DEPTH:

65FT

19W

UTM X

UTM Y

DEPTH TO BED:

62FT

15-20 GPM

496,268.19

4,360,758.61

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016156

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/13

REMARKS:

TOWNSHIP

RANGE

SECTION

ELEVATION:

631FT

19W

20

DRILL DEPTH:

75FT **73FT** 53N

UTM X 493,384.15

ZONE 15

UTM Y 4,359,003.56

DEPTH TO BED:

100-200 GPM **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016155

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1957/03/04 **TOWNSHIP RANGE SECTION** 53N

ELEVATION:

638FT

DRILL DEPTH:

70FT

19W 22

UTM X

UTM Y

DEPTH TO BED: 67FT 498,015.23

4,360,323.61 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016127

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

TOWNSHIP 53N

SECTION RANGE

ELEVATION:

635FT

DRILL DEPTH:

71FT

19W 23

UTM X

UTMY

DEPTH TO BED:

70FT

4,358,801.61

499,657.27 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 70-75 GPM

S.W.L. (AFTER CASING):

LOG ID: 016150

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/08

TOWNSHIP

REMARKS:

SECTION RANGE 19W

ELEVATION:

635FT

DRILL DEPTH:

75FT

53N

23

UTM X

UTM Y 4,359,443.62

DEPTH TO BED:

73FT

499,657.27 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016151

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1957/03/07

TOWNSHIP

RANGE SECTION **ELEVATION:**

633FT

53N

19W

DRILL DEPTH:

78FT 73FT 24

UTM X 499.881.27

ZONE 15

UTM Y 4,360,206.63

DEPTH TO BED:

40-50 GPM **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016126

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1957/03/11 **TOWNSHIP RANGE SECTION** 53N 19W 36

ELEVATION:

636FT

DRILL DEPTH:

DEPTH TO BED:

80FT 77FT

UTM X UTM Y 4,356,909.58

499,810.29

ZONE 15

S.W.L. (BEFORE CASING):

30-40 GPM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 016145

DRILL DATE:

1957/03/13

TOWNSHIP 53N

SECTION RANGE

ELEVATION:

641FT

DRILL DEPTH:

56FT

19W

UTM X

UTMY

DEPTH TO BED:

54FT

6

492,127.10

4,364,575.64 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 50-60 GPM

S.W.L. (AFTER CASING):

LOG ID: 016143

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/05

TOWNSHIP RANGE

SECTION

ELEVATION:

640FT

DRILL DEPTH:

75FT

53N

19W 7

UTM Y

DEPTH TO BED:

70FT

UTM X 493,151.12 4,362,959.62

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016152

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/05

TOWNSHIP

SECTION RANGE

ELEVATION:

639FT

DRILL DEPTH:

53N

19W

9

UTM X

DEPTH TO BED:

66FT 64FT

495,348.17

UTM Y 4,362,309.62

S.W.L. (BEFORE CASING):

20-30 GPM **REMARKS**:

ZONE 15

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016154

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/13

TOWNSHIP 53N

RANGE SECTION 12

ELEVATION:

639FT

DRILL DEPTH:

64FT

20W

UTM X UTM Y

DEPTH TO BED: 63FT

491,783.10 4,362,807.60

ZONE 15

S.W.L. (BEFORE CASING):

50-60 GPM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016139

WATER TEST WELL (HOLE)

DRILL DATE:

1957/03/13

TOWNSHIP

SECTION RANGE

ELEVATION:

629FT

DRILL DEPTH:

75FT

53N 20W

UTM X

UTMY

DEPTH TO BED:

72FT

13

491,724.11

4,360,786.57 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 75-100 GPM

S.W.L. (AFTER CASING):

LOG ID: 001520

WELL TYPE

Community Public Well

DRILL DATE:

TOWNSHIP 53N

RANGE

SECTION

ELEVATION:

730FT

DRILL DEPTH:

1.505FT

20W 2

UTM X

UTM Y

DEPTH TO BED:

488,824.04 4,364,681.62

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DESTROYED, "KNOWN AS 'GAS WELL'; FEW UNITS IDENTIFIED

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024429

WATER TEST WELL (HOLE)

DRILL DATE:

1966/09/19

TOWNSHIP

RANGE

SECTION 25

ELEVATION:

625FT

DRILL DEPTH:

35FT

53N 20W

UTM X

495.914.22

UTM Y 4,355,397.53

DEPTH TO BED:

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: MW SCTN1

10



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015929

DEPTH TO BED:

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1957/02/27

150FT

146FT

TOWNSHIP RANGE SECTION 54N 16W

ELEVATION:

755FT

DRILL DEPTH:

19

UTMY 4,368,731.13

UTM X 522,330.28

ZONE 15

S.W.L. (BEFORE CASING):

2-5 GPM - MUCH CLAY **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 015933

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/27

TOWNSHIP

SECTION RANGE 28

ELEVATION:

741FT

DRILL DEPTH:

115FT

54N 16W

UTM X

UTMY

DEPTH TO BED:

107FT

525,478.27

ZONE 15

4,367,647.20

10-12 GPM

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 015943

WELL TYPE

Private Well

DRILL DATE:

1957/02/27

TOWNSHIP

RANGE

SECTION

ELEVATION:

659FT

DRILL DEPTH:

36FT

54N

16W

29

UTM X 523,862.29 UTM Y

DEPTH TO BED:

32FT

4,367,692.16

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5-10 GPM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015964

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/26

TOWNSHIP

RANGE SECTION **ELEVATION:**

747FT

120FT

54N

50-75 GPM

17W 14

UTM Y

DRILL DEPTH: DEPTH TO BED:

109FT

UTM X 519.198.27

4,369,629.08

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015909 **WELL TYPE**

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u> 1957/02/26

TOWNSHIP RANGE SECTION
54N 17W 15

ELEVATION:

<u>N:</u> 673FT

DRILL DEPTH: 41FT

<u>UTM X</u> 517,583.24 <u>UTM Y</u> 4,371,080.06

ZONE 15

DEPTH TO BED: 39FT S.W.L. (BEFORE CASING):

REMARKS: 0-3 GPM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015910 WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/26

TOWNSHIP RANGE

NGE SECTION

ELEVATION:

648FT

DRILL DEPTH:

75FT 72FT 54N 17W 16

<u>UTM X</u>

UTM Y

DEPTH TO BED:

515,972.24

4,371,104.03

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 25-30 GPM

S.W.L. (AFTER CASING):

LOG ID: 015966

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/25

TOWNSHIP RANGE

<u>SECTION</u>

ELEVATION:

643FT

DRILL DEPTH:

01702720

54N

17W 20

UTM X

UTM Y

DEPTH TO BED:

54FT 49FT

512,897.25

4,369,481.97

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015939

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/25

TOWNSHIP

RANGE SECTION

21

ELEVATION:

649FT

DRILL DEPTH:

129FT

54N 17W

UTM X

UTM Y

DEPTH TO BED:

126FT

514,520.25

4,369,461.00

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 10-25 GPM

S.W.L. (AFTER CASING):

2/27/2007 879



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015916

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1957/02/27 **TOWNSHIP RANGE SECTION** 54N

ELEVATION:

713FT

DRILL DEPTH:

85FT

17W 24

UTM X

UTMY

DEPTH TO BED:

80FT

520,753.29

4,368,603.10 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5-7 GPM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015972

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/21

TOWNSHIP

SECTION RANGE

ELEVATION:

703FT

DRILL DEPTH:

143FT

54N 18W

UTM X

UTMY

DEPTH TO BED:

138FT

15

506,511.21 4,370,375.87

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 25-40 GPM

S.W.L. (AFTER CASING):

LOG ID: 004639

WELL TYPE

Private Well

DRILL DATE:

1938/01/01

TOWNSHIP

54N

RANGE SECTION **ELEVATION:**

691FT

DRILL DEPTH:

194FT

18W 17

> UTM X UTM Y

DEPTH TO BED:

40FT

503,883.20 4,371,079.84

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 WHEELER; 5 MI N, 2 MI W OF KEYTESVILLE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015970

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/21

TOWNSHIP

RANGE SECTION **ELEVATION:**

646FT

DRILL DEPTH:

54FT

54N 18W 17

UTM X

504.783.21

UTM Y

DEPTH TO BED:

48FT

4,370,569.85

ZONE 15

S.W.L. (BEFORE CASING):

40-50 GPM **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015944

DEPTH TO BED:

WELL TYPE

WATER TEST WELL (HOLE)

13FT

DRILL DATE: 1957/02/21 **TOWNSHIP RANGE SECTION** 54N 18W

ELEVATION:

713FT

DRILL DEPTH: 28FT 18

UTM X **UTMY**

503,232.19

4,371,242.83

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 005852

WELL TYPE Private Well

DRILL DATE:

1939/10/23

TOWNSHIP 54N

SECTION RANGE

ELEVATION:

737FT

DRILL DEPTH:

349FT

18W 28

> **UTM X** 506,250.24

UTMY 4,368,016.84

DEPTH TO BED: 165FT S.W.L. (BEFORE CASING):

REMARKS:

ZONE 15

S.W.L. (AFTER CASING):

FT REMARKS:

2 MI N OF KEYTESVILLE; WATER SLIGHTLY SALTY, BUT USABLE

LOG ID: 015945

WELL TYPE

WATER TEST WELL (HOLE)

50

DRILL DATE:

1957/02/21

TOWNSHIP

RANGE SECTION **ELEVATION:**

696FT

DRILL DEPTH:

81FT

54N

19W 13

UTM X

UTM Y

DEPTH TO BED:

77FT

500,281.18 4,371,605.79

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

000222

Private Well

1905/11/01

TOWNSHIP

SECTION

ELEVATION:

775FT

DRILL DATE:

226FT

54N

RANGE 19W 3

DRILL DEPTH: DEPTH TO BED:

25FT

UTM X 497,356.12

UTM Y 4,374,947.83

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: Rochelter on both (?)

ZONE 15

2/27/2007

881



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015946

WELL TYPE

WATER TEST WELL (HOLE)

1957/02/21 DRILL DATE:

TOWNSHIP RANGE SECTION 54N 20W 10

ELEVATION:

DRILL DEPTH:

15FT

UTM X

UTMY

667FT

723FT

DEPTH TO BED:

10FT

488,926.02

ELEVATION:

4,372,224.74 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 000484

WELL TYPE

Community Public Well

DRILL DATE:

TOWNSHIP

DRILL DEPTH:

SECTION RANGE 54N 20W 18

DEPTH TO BED:

1,475FT

UTM X UTMY

115FT

483,814.95 4,371,955.72 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

FLOWS - DRILLER'S LOG ONLY, NO UNITS IDENTIFIED; MINERAL

WATER WELL -

LOG ID:

WELL TYPE

000485

Community Public Well

DRILL DATE:

RANGE

ELEVATION:

672FT

DRILL DEPTH:

250FT

20W 18

> UTM X UTM Y

> > ZONE 15

DEPTH TO BED:

150FT

483,114.94

4,371,035.70

S.W.L. (BEFORE CASING):

REMARKS: FLOWS; IN RIVER BOTTOM 1/7 MI NW OF #484; ABANDONED,

SECTION

S.W.L. (AFTER CASING):

SALINE WATER - DRILLER'S LOG ONLY

LOG ID:

WELL TYPE

015930

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/21

TOWNSHIP

TOWNSHIP

54N

RANGE SECTION

18

ELEVATION: 658FT

DRILL DEPTH:

73FT

54N 20W

UTM Y

DEPTH TO BED:

70FT

484,014.96

UTM X

4,370,729.70

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5-10 GPM

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 000221

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

54N 20W **DRILL DEPTH:** 126FT

UTM X **UTMY** DEPTH TO BED: 25FT

489,604.02 4,374,543.79

745FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of C. Feitz - 5 mi S of Mendon

2

9

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 024423

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 639FT

54N 20W 31 DRILL DEPTH: 35FT

UTM X **UTMY**

DEPTH TO BED: 483,072.94 4,367,302.63

J.I. AKEMAN FARM

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 15

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 015947

DRILL DATE: 1957/02/21 **TOWNSHIP RANGE SECTION ELEVATION:** 696FT

54N 20W **DRILL DEPTH:** 20FT

UTM X UTM Y **DEPTH TO BED:** 486,711.99 4,372,251.73 15FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

015921

WELL TYPE Private Well

1957/02/20 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 659FT

54N 21W 14 **DRILL DEPTH:** 113FT

DEPTH TO BED: 480,784.91 4,370,690.68 110FT

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING):

40-250 GPM **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015941

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/19

TOWNSHIP RANGE 54N

SECTION 22

ELEVATION:

640FT

DRILL DEPTH:

90FT

21W

UTM X

UTMY 4,369,928.65

DEPTH TO BED:

87FT

477,723.87

ZONE 15

S.W.L. (BEFORE CASING):

30-40 GPM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

WATER TEST WELL (HOLE) 015922

DRILL DATE:

1957/02/20

TOWNSHIP

SECTION RANGE

21W

ELEVATION:

642FT

DRILL DEPTH:

80FT

54N

23

UTM X

479,351.89

UTMY

DEPTH TO BED:

75FT

4,370,499.67

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 60-70 GPM

S.W.L. (AFTER CASING):

LOG ID: 015920

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/20

TOWNSHIP

RANGE SECTION

24

ELEVATION:

668FT

DRILL DEPTH:

93FT

54N 21W

25-30 GPM

UTM X

UTM Y

DEPTH TO BED:

90FT

482,376.93

4,370,506.68

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

004524

Private Well

1937/10/01

TOWNSHIP 55N

RANGE

SECTION

ELEVATION:

727FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

185FT

125FT

16W 16

UTM X

UTM Y

525.373.13

4,380,073.39 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015949

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1957/02/12

TOWNSHIP RANGE 55N 16W

ELEVATION:

708FT

DRILL DEPTH:

60FT

16W 16

SECTION

ZONE 15

DEPTH TO BED:

52FT

<u>UTM X</u> 525,173.13 <u>UTM Y</u> 4,380,073.38

S.W.L. (BEFORE CASING):

REMARKS: 0-1 GPM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015911

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/13

TOWNSHIP

RANGE SECTION

19

20

ELEVATION:

657FT

DRILL DEPTH:

67FT

55N 16W

UTM X

UTM Y

DEPTH TO BED:

63FT

521,135.18

ZONE 15

4,377,817.24

S.W.L. (BEFORE CASING):

REMARKS: 15-20 GPM

S.W.L. (AFTER CASING):

LOG ID: 015950

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/13

<u>TOWNSHIP</u>

55N

RANGE SECTION

ELEVATION:

670FT

DRILL DEPTH:

59FT

16W

UTM X

<u>UTM Y</u>

DEPTH TO BED:

50FT

523,492.16 4 ZONE 15

4,378,307.31

S.W.L. (BEFORE CASING):

REMARKS: 10-15 GPM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011316

Noncommunity Public Well

DRILL DATE:

1950/04/14

TOWNSHIP 55N RANGE 16W

SECTION

ELEVATION:

737FT

DRILL DEPTH:

DEPTH TO BED:

410FT 90FT

32

UTM Y

522,801.20

ZONE 15

UTM X

4,374,454.21

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

66

REMARKS:

NE PART OF PRAIRIE HILL; SALT WATER IN MISSISSIPPIAN; 20

GPM @ 172'

2/27/2007 885



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028570

WELL TYPE

Exploratory Hole (Mineral Prospect)

1977/09/19 DRILL DATE:

TOWNSHIP RANGE 55N

SECTION 2

ELEVATION:

766FT

DRILL DEPTH:

80FT

17W

UTM X

UTMY

DEPTH TO BED:

518,858.11

4,383,588.32

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015926

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/13

TOWNSHIP

RANGE

SECTION ELEVATION: 651FT

DRILL DEPTH:

29FT

25FT

55N 17W

21

UTM X

DEPTH TO BED:

515,674.17

UTMY 4,377,670.15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 102 GPM

S.W.L. (AFTER CASING):

LOG ID: 012857

WELL TYPE

Private Well

DRILL DATE:

1954/05/14

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

655FT

DRILL DEPTH:

45FT

55N

17W

UTM X

DEPTH TO BED:

35FT

UTM Y

518,766.16 4,378,781.22 ZONE 15

REMARKS:

possibly in name of Willard Harmon, Rt 2, Bynumville (South Well) - 8 MI N OF SALISBURY, SOUTH WELL

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015940

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/13

TOWNSHIP

RANGE

SECTION 25

ELEVATION:

651FT

DRILL DEPTH:

135FT

55N

17W

UTM X

UTM Y

DEPTH TO BED:

130FT

519,545.17

4,377,582.21

ZONE 15

S.W.L. (BEFORE CASING):

1-5 GPM **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015967

DEPTH TO BED:

WELL TYPE

WATER TEST WELL (HOLE)

84FT

DRILL DATE: 1957/02/13 **TOWNSHIP RANGE SECTION** 55N

17W 27

DRILL DEPTH: 90FT UTM X **UTMY**

517,677.17 4,377,553.18

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015927

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/13

TOWNSHIP

SECTION RANGE

ELEVATION:

702FT

650FT

DRILL DEPTH:

45FT

55N 17W

UTM X

DEPTH TO BED:

42FT

514,626.17

UTMY 4,377,520.13

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015925

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/13

TOWNSHIP RANGE

SECTION

28

ELEVATION:

725FT

DRILL DEPTH:

20FT

55N

18W 23

UTM X

UTM Y

DEPTH TO BED:

9FT

509,217.15 4,377,786.05

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015924

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/15

TOWNSHIP

RANGE

SECTION

ELEVATION:

717FT

DRILL DEPTH:

41FT

55N

20W 15

UTM X

UTM Y

DEPTH TO BED:

39FT

488.477.99

4,380,342.89

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015923

WELL TYPE

WATER TEST WELL (HOLE)

169FT

DRILL DATE: 1957/02/01 **TOWNSHIP RANGE SECTION**

55N 20W 17

DRILL DEPTH: 175FT UTM X **UTMY** DEPTH TO BED:

485,244.95 4,380,319.88

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING):

20-30 GPM **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 003505

WELL TYPE Private Well

DRILL DATE:

1935/10/00

TOWNSHIP

SECTION RANGE

ELEVATION:

757FT

665FT

DRILL DEPTH:

403FT

55N 20W 24

> UTM X 492,493.04

UTMY 4,379,088.89

DEPTH TO BED:

S.W.L. (BEFORE CASING):

30FT

REMARKS:

ZONE 15 4.5 MI SE OF MENDON; SALT WATER - NO UNITS IDENTIFIED -

29

S.W.L. (AFTER CASING): 76 DRILLER'S LOG ONLY

FT

LOG ID:

WELL TYPE

015917

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/18

TOWNSHIP

SECTION RANGE

ELEVATION:

655FT

DRILL DEPTH:

103FT

55N 20W

UTM X

UTM Y

DEPTH TO BED:

101FT

484,506.95

4,377,721.83

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

015919

WATER TEST WELL (HOLE)

DRILL DATE:

1956/02/18

TOWNSHIP

RANGE SECTION **ELEVATION:**

657FT

123FT

55N

20W 30

DRILL DEPTH: DEPTH TO BED:

120FT

UTM X UTM Y

482.846.93 4,377,949.82

ZONE 15

S.W.L. (BEFORE CASING):

30-40 GPM **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005792 WELL TYPE Private Well

DRILL DATE: 1939/10/01 TC

TOWNSHIP RANGE 55N 20W

SECTION 33

26

ELEVATION:

698FT

DRILL DEPTH: 355FT

<u>UTM Y</u>

DEPTH TO BED: 40FT

<u>UTM X</u> 486,074.97

97 4,376,895.82 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 3-4 MI S OF MENDON; 9 MI N, 1 MI W OF BRUNSWICK

S.W.L. (AFTER CASING):

LOG ID: 015918

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1956/02/18

TOWNSHIP

RANGE SECTION

ELEVATION:

656FT

DRILL DEPTH:

124FT

55N 21W

UTM X

UTM Y

DEPTH TO BED:

481,036.91

4,378,521.83

DEFITITO BED.

REMARKS: 40-50 GPM

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 015968

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/18

TOWNSHIP RA

RANGE SECTION

21W

ELEVATION:

650FT

DRILL DEPTH:

104FT

55N

26

UTM X UTM Y

ZONE 15

ZONE 15

DEPTH TO BED:

101FT

479,636.89

<u>UTM Y</u> 4,378,521.82

.

REMARKS: 40-50 GPM

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

028571

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1977/07/16

TOWNSHIP

RANGE

SECTION

ELEVATION:

766FT

DRILL DEPTH:

139FT

56N 16W 18

<u>UTM X</u>

UTM Y

DEPTH TO BED:

93FT

522.822.03

4,390,336.54

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

BEVIER-MENDOTA PROJECT - #15 LAGONDA QUAD

S.W.L. (AFTER CASING):

2/27/2007 889



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028574

WELL TYPE

Exploratory Hole (Mineral Prospect)

1977/09/14 DRILL DATE:

TOWNSHIP 56N

SECTION

ELEVATION:

760FT

DRILL DEPTH:

65FT

16W 19

RANGE

UTM X

UTMY

DEPTH TO BED:

522,592.04

4,389,351.51

ZONE 15

S.W.L. (BEFORE CASING):

1225' FNL, 2150' FEL **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028572

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1977/09/16

TOWNSHIP

SECTION RANGE

ELEVATION:

772FT

DRILL DEPTH:

160FT

56N

16W 7

UTM X

UTMY

DEPTH TO BED:

125FT

523,266.01

ZONE 15

4,391,760.58

REMARKS: #16 LAGONDA QUAD

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

028575

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1977/09/19

TOWNSHIP

RANGE SECTION

7

13

ELEVATION:

711FT

DRILL DEPTH:

40FT

56N 16W

UTM X

UTM Y

DEPTH TO BED:

521,866.01 4,392,574.56 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028565

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1977/07/06

TOWNSHIP

RANGE SECTION **ELEVATION:**

749FT

DRILL DEPTH:

56N

17W

UTM Y

DEPTH TO BED:

120FT 50FT

UTM X 520.824.04

4,390,236.49 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

#21 LAGONDA QUAD

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026652

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP

56N

17W 18

SECTION

RANGE

ELEVATION:

727FT

DRILL DEPTH:

196FT

UTM X

UTMY 512,207.04 4,389,932.34

DEPTH TO BED:

70FT

ZONE 15

S.W.L. (BEFORE CASING):

COAL TEST - CHARITON REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015975

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/11

TOWNSHIP

SECTION RANGE

ELEVATION:

794FT

DRILL DEPTH:

135FT

56N 17W 19

DEPTH TO BED:

122FT

UTM X **UTMY**

513,573.06 ZONE 15

4,388,117.33

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028568

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1977/06/24

TOWNSHIP

RANGE SECTION 2

ELEVATION:

772FT

DRILL DEPTH:

142FT

56N 17W

UTM X

UTM Y

DEPTH TO BED:

80FT

519,264.01

4,392,870.52

S.W.L. (BEFORE CASING):

REMARKS: #17 WIEN QUADRANGLE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028573

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1977/09/14

TOWNSHIP

RANGE SECTION **ELEVATION:**

723FT

DRILL DEPTH:

10FT

56N

17W 24

DEPTH TO BED:

UTM X UTM Y 520.176.06 4,387,999.44

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028569

DRILL DEPTH:

WELL TYPE

Exploratory Hole (Mineral Prospect)

1977/09/19 DRILL DATE:

TOWNSHIP RANGE SECTION

56N 17W 25

DEPTH TO BED: 55FT UTM X

ELEVATION:

UTMY 520,944.07 4,387,208.43

772FT

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 028576

DRILL DATE:

1977/09/14

60FT

TOWNSHIP

SECTION RANGE

ELEVATION:

721FT

DRILL DEPTH:

70FT

56N 17W

UTM X

DEPTH TO BED:

40FT

25

UTMY 520,144.06 4,387,812.43

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015948

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/11

TOWNSHIP

RANGE SECTION **ELEVATION:**

821FT

DRILL DEPTH:

107FT

56N

17W 28

UTM X

UTM Y

DEPTH TO BED:

4,387,829.35

102FT

515,324.06 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015973

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/11

TOWNSHIP

RANGE SECTION **ELEVATION:**

766FT

DRILL DEPTH:

56N

20W 13 UTM X

492.716.99

DEPTH TO BED:

55FT 42FT

UTM Y 4,390,204.10

ZONE 15

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013685

WELL TYPE Private Well

1955/05/10 DRILL DATE:

TOWNSHIP

RANGE SECTION 20W

ELEVATION:

717FT

UTMY

4,391,636.11

DRILL DEPTH:

56N

14

UTM X

490,104.96

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

18

4.25 MI NW OF ROTHVILLE; NO TEST **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 015974

WELL TYPE

WATER TEST WELL (HOLE)

40FT

DRILL DATE:

1957/02/11

TOWNSHIP

SECTION RANGE

ELEVATION:

719FT

DRILL DEPTH:

30FT

56N 20W

UTM X

DEPTH TO BED:

27FT

14

SECTION

UTMY 491,104.97 4,390,196.09

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: WATER TEST DRILLING PROGRAM

S.W.L. (AFTER CASING):

LOG ID: 015937

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/08

TOWNSHIP RANGE **ELEVATION:**

672FT

DRILL DEPTH:

65FT

56N 20W 17

UTM X UTM Y

DEPTH TO BED:

59FT

486,225.93 4,390,205.07

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015942

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/07

TOWNSHIP

56N

SECTION RANGE

ELEVATION:

723FT

DRILL DEPTH:

DEPTH TO BED:

170FT

162FT

20W 20

UTM X

484.804.92

UTM Y 4,389,983.06

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015915

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1957/02/08

TOWNSHIP 56N RANGE SECTION

22

ELEVATION:

691FT

DRILL DEPTH:

96FT

20W

UTM X

<u>UTM Y</u>

DEPTH TO BED:

92FT

488,037.95

037.95 4,390,010.07

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015913

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1956/02/06

TOWNSHIP

RANGE SEC

SECTION ELEVATION:

696FT

DRILL DEPTH:

120FT

56N 21W

UTM X

.....

DEPTH TO BED:

116FT

480,679.89

<u>UTM Y</u> 4,391,761.07

11011

11

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 015960

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1956/02/07

TOWNSHIP R

RANGE SECTION

ELEVATION:

665FT

DRILL DEPTH:

187FT

56N 21W 22

UTM X

UTM Y

DEPTH TO BED:

176FT

479,153.88

4,389,948.03

S.W.L. (BEFORE CASING):

ZONE 15

REMARKS: WATER TEST PROGRAM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015962

WATER TEST WELL (HOLE)

DRILL DATE:

1956/02/07

TOWNSHIP

RANGE SECTION

24

ELEVATION:

715FT

DRILL DEPTH:

240FT

56N

21W

UTM Y

DEPTH TO BED:

236FT

<u>UTM X</u> 483.036.91 4.3

ZONE 15

4,389,310.04

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

2/27/2007 894



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004457

WELL TYPE

WATER TEST WELL (HOLE)

78FT

DRILL DATE: 1937/09/27 **TOWNSHIP RANGE SECTION** 56N 21W

ELEVATION:

667FT

DRILL DEPTH:

25

UTM X 483,006.91

UTMY 4,387,500.00

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

TEST HOLE FOR WATER WELL; #1 MORRIS WILLIAMS **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004458

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1937/09/28

TOWNSHIP

RANGE

SECTION

ELEVATION:

645FT

DRILL DEPTH:

65FT

56N 21W 25

UTM X UTMY

DEPTH TO BED:

482,906.91 4,387,400.00

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: #2 MORRIS WILLIAMS; WATER TEST HOLE - Driller's Log Attached

S.W.L. (AFTER CASING): 14

LOG ID: 013641

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1955/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

680FT

DRILL DEPTH:

85FT

56N 21W

25

UTM X UTM Y

DEPTH TO BED:

482,606.91

ZONE 15

ZONE 15

4,387,500.00

S.W.L. (BEFORE CASING):

FT

REMARKS: SWAN LAKE GAME REFUGE; YIELD - 10 GPM @ 23'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

015971

WATER TEST WELL (HOLE)

21

DRILL DATE:

1957/02/06

TOWNSHIP

RANGE

SECTION 28

ELEVATION:

659FT

56N

21W

DRILL DEPTH: DEPTH TO BED: 70FT 66FT

UTM X 477.298.87

UTM Y 4,388,232.97

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

CHARITON